

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S192	5	S188 and (topology and discover\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 12:32
S190	4	S188 and (topology near discover\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 12:32
S191	12	("6041049").URPN.	USPAT	OR	OFF	2005/07/28 12:31
S189	23	S188 and topology	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 12:30
S188	47	(comput\$3 near (forward\$3 or rout\$3) near table)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 12:29
S187	1	S171 and (port near identifier) and (port near table)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 12:29
S174	9	S171 and (port near identifier)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 12:02
S186	8	port near table same topology	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 11:58
S185	20	port near table same topology	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/28 11:58
S181	6	(link or path) near port same subnet and topology	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/28 11:58
S180	19	(link or path) near port same subnet	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/28 11:55
S178	1	(link or path) near port near subnet	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/28 11:55
S129	4	("5854909"   "6430182").PN. OR ("6694361").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/28 11:54
S176	1	("6,563,798").PN.	USPAT; USOCR	OR	OFF	2005/07/28 10:58
S175	2	PAPPOUSHADO.inv.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 10:46

S17 3	4	S171 and ((local or logical) near identifier)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 10:06
S17 2	21	S171 and identifier	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 10:06
S17 1	21	(connect\$7 near (table or database)) and (topology near discover\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 10:05
S16 5	20	(channel near adapter) same (LID or (local near identifier))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 10:02
S16 8	5	S167 and topology	USPAT	OR	OFF	2005/07/28 09:57
S16 7	52	S153 and @ad<"20010510"	USPAT	OR	OFF	2005/07/28 09:57
S15 3	57	("5297262").URPN.	USPAT	OR	OFF	2005/07/28 09:56
S16 4	4	S161 and identifier and channel	USPAT	OR	OFF	2005/07/28 09:51
S16 3	1	S161 and (port near identifier)	USPAT	OR	OFF	2005/07/28 09:49
S16 2	13	S161 and identifier	USPAT	OR	OFF	2005/07/28 09:49
S16 1	19	(US-5297262-\$ or US-5850397-\$ or US-5881243-\$ or US-5933425-\$ or US-6069895-\$ or US-6256295-\$ or US-6260072-\$ or US-6333918-\$ or US-6347078-\$ or US-6563798-\$ or US-6600724-\$ or US-6628649-\$ or US-6694361-\$ or US-6717920-\$ or US-6813656-\$ or US-6286038-\$ or US-6789143-\$ or US-6601148-\$).did. or (WO-3056758-\$).did.	USPAT; EPO	OR	OFF	2005/07/28 09:48
S16 0	13	S156 and (channel near adapter)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 09:45
S15 9	27	port near (LID or (multiple near local near identifier)) same switch\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 09:44
S15 6	854	port near (LID or (multiple near local near identifier))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 09:43
S15 8	7	S156 and topology	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 09:42

S15 7	49	S156 same path	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 09:42
S15 5	29238	port same (LID or (multiple near local near identifier))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 09:42
S15 4	18	switch\$3 near port same (LID or (multiple near local near identifier))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 09:41
S15 2	4	("5854909"   "6430182").PN. OR ("6694361").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/28 09:15
S12 6	4	S125 and (topology near discover\$3)	USPAT	OR	OFF	2005/07/27 16:14
S12 8	201	S125 and switch\$3	USPAT	OR	OFF	2005/07/27 16:13
S12 5	400	(709/222).CCLS.	USPAT; USOCR	OR	OFF	2005/07/27 16:12
S1	1	("20030033427").PN.	US-PGPUB; USOCR	OR	OFF	2004/11/24 12:54
S10 3	77	port adj connectivity	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 14:15
S71	541	((709/238).CCLS.) and switch\$3 and (table or database)	USPAT	OR	ON	2004/11/05 17:37
S3	452	((709/238).CCLS.) and switch\$3 and port	USPAT	OR	ON	2004/11/05 16:12
S70	1	("6810418").PN.	USPAT; USOCR	OR	OFF	2004/11/05 16:04
S69	31	(fabric or subnet or subnetwork) adj manager and switch\$3 and port and link	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 16:04
S68	41	(fabric or subnet or subnetwork) adj manager and switch\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 15:32
S67	54	(fabric or subnet or subnetwork) adj manager	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 15:32
S66	15	link near port and (topology adj discovery)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 15:31
S65	39	((short\$3 adj (path or link)) near (table or database or storage))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 15:24
S62	10	port same (connectivity adj (table or database or storage))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 14:47
S64	1	("5684967").PN.	USPAT; USOCR	OR	OFF	2004/11/05 14:43

S63	19	"5553287".URPN.	USPAT	OR	ON	2004/11/05 14:42
S61	157	connectivity adj (table or database or storage)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 14:37
S59	44	(topolog\$3 adj discover\$3) and connectivity and path	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 14:35
S55	57	(topolog\$3 adj discover\$3) and connectivity	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 14:11
S58	464	((370/386,389,392).CCLS.) and switch\$3 and ((rout\$3 or forward\$3) near (table or database))	USPAT	OR	ON	2004/11/05 11:31
S57	1603	((370/386,389,392).CCLS.) and switch\$3	USPAT	OR	ON	2004/11/05 11:30
S56	1960	(370/386,389,392).CCLS.	USPAT; USOCR	OR	OFF	2004/11/05 11:29
S52	556	(370/355,356,357).CCLS.	USPAT; USOCR	OR	OFF	2004/11/05 11:29
S54	135	topolog\$3 adj discover\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 11:21
S53	57	(topology adj discover\$3) and connectivity	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 11:20
S48	2001	(370/351,352,353).CCLS.	USPAT; USOCR	OR	OFF	2004/11/05 10:25
S50	375	((370/351,352,353).CCLS.) and (switch\$3) and ((rout\$3 or forward\$3) near (table or database))	USPAT	OR	ON	2004/11/05 10:04
S49	1774	((370/351,352,353).CCLS.) and (switch\$3)	USPAT	OR	ON	2004/11/04 17:21
S47	64	(topology adj discover\$3) and (shortest adj path) and port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 17:20
S46	79	(topology adj discover\$3) and (shortest adj path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 17:07
S45	7	(topology adj discover\$3) same (connectivity and path and link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 17:07
S44	502	((709/227,228).CCLS.) and switch\$3 and (forward\$3 or rout\$3) and (topology or port)	USPAT	OR	ON	2004/11/04 17:04
S43	781	((709/227,228).CCLS.) and switch\$3 and (forward\$3 or rout\$3)	USPAT	OR	ON	2004/11/04 16:40
S42	966	((709/227,228).CCLS.) and switch\$3	USPAT	OR	ON	2004/11/04 16:39
S41	1845	(709/227,228).CCLS.	USPAT; USOCR	OR	OFF	2004/11/04 16:38
S39	494	(709/249).CCLS.	USPAT; USOCR	OR	OFF	2004/11/04 16:38
S40	336	((709/249).CCLS.) and switch\$3	USPAT	OR	ON	2004/11/04 16:19
S2	1081	(709/238).CCLS.	USPAT; USOCR	OR	OFF	2004/11/04 16:18

S38	119	(370/395.31).CCLS.	USPAT; USOCR	OR	OFF	2004/11/04 16:02
S37	499	((709/220,221,222).CCLS.) and switch\$3 and (fabric or cluster or subnet or subnetwork or port)	USPAT	OR	ON	2004/11/04 15:15
S36	762	((709/220,221,222).CCLS.) and switch\$3	USPAT	OR	ON	2004/11/04 15:14
S34	1415	(709/220,221,222).CCLS.	USPAT; USOCR	OR	OFF	2004/11/04 15:12
S33	11	channel adj adapter same LID	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 14:38
S32	1356	channel adj adapter	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 14:38
S31	34	(switch\$3 near fabric) and manager and ((forward\$3 or rout\$3) adj table) and (short\$3 adj path) and connectivity	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 14:37
S30	209	(switch\$3 near fabric) and manager and ((forward\$3 or rout\$3) adj table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 14:35
S29	733	(switch\$3 near fabric) and manager	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 14:35
S28	6	fabric adj manager and topology	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 14:35
S27	21	fabric adj manager	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 14:32
S26	10	switch\$3 near fabric and (connectivity adj (table or database))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 14:31
S25	1	port-to-port adj connectivity and (short\$3 adj path)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 14:23
S24	12	(port adj connectivity) same (table or database)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 14:22
S23	0	(port adj connectivity) near (table or database)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 14:20
S22	77	port adj connectivity	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 14:19
S21	2	topology adj discover\$3 and (port near connectivity)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 14:19

S20	1	topology adj discover\$3 and (port adj connectivity)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 14:19
S19	135	topology adj discover\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 14:18
S18	51	((forward\$3 or rout\$3) adj table) and (multipath\$3 or (multiple adj path)) and switch\$3 and (short\$3 adj path) and (link and port)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 13:45
S17	75	((forward\$3 or rout\$3) adj table) and (multipath\$3 or (multiple adj path)) and switch\$3 and (short\$3 adj path)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 13:43
S14	2	((forward\$3 or rout\$3) adj table) and (multipath\$3 or (multiple adj path)) and switch\$3 and (short\$3 adj (path or link)) and (switch adj pair)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 13:43
S16	52	"4736363".URPN.	USPAT	OR	ON	2004/11/04 13:42
S15	0	"20030033427".URPN.	USPAT	OR	ON	2004/11/04 13:42
S13	75	((forward\$3 or rout\$3) adj table) and (multipath\$3 or (multiple adj path)) and switch\$3 and (short\$3 adj (path or link))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 13:41
S11	10	((forward\$3 or rout\$3) adj table) and (multipath\$3 or (multiple adj path)) and switch\$3 and LID	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 13:40
S12	1	"6694361".URPN.	USPAT	OR	ON	2004/11/04 13:37
S10	271	((forward\$3 or rout\$3) adj table) and (multipath\$3 or (multiple adj path)) and switch\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 13:33
S9	300	((forward\$3 or rout\$3) adj table) and (multipath\$3 or (multiple adj path))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 13:33
S7	418	((709/239,242).CCLS.) and (switch\$3)	USPAT	OR	ON	2004/11/04 13:30
S6	624	(709/239,242).CCLS.	USPAT; USOCR	OR	OFF	2004/11/04 12:10
S4	418	((709/238).CCLS.) and switch\$3 and port and (path or link)	USPAT	OR	ON	2004/11/04 11:55
S5	2	("5854909"   "6430182").PN.	USPAT	OR	ON	2004/11/04 11:53